



wir helfen, beraten und prüfen

CTL [®] -No	363550/8
[Article]	sample of a goldeneye pigment
[Product]	GE-233328 / Red 328
[Batch-No]	06.2018/023

				passed
Azo-dyestuffs, Part 1a Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-ylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
Azo-dyestuffs, Part 1b Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to EU Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				not detectable
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	

**wir helfen, beraten und prüfen**

CTL[®]-No	363550/8
---------------------------	-----------------

[Article]	sample of a goldeneye pigment
-----------	-------------------------------

[Product]	GE-233328 / Red 328
-----------	---------------------

[Batch-No]	06.2018/023
------------	-------------

			passed
Heavy metals, Part 3 acc. to COE Resolution ResAP(2008)1 Methods: ICP-MS method acc. to DIN 11885; Analysis acc. to COE ResAP(89)1	Limit	Amount	yes
Arsenic (As)	2 ppm	< 2 ppm	
Barium (Ba)	50 ppm	< 50 ppm	
Cadmium (Cd)	0.2 ppm	< 0.2 ppm	
Cobalt (Co)	25 ppm	< 25 ppm	
Chromium (Cr), VI	0.2 ppm	< 0.2 ppm	
Copper (Cu), soluble	25 ppm	< 25 ppm	
Mercury (Hg)	0.2 ppm	< 0.2 ppm	
Nickel (Ni)	As low as technically achievable	< 0.5 ppm	
Lead (Pb)	2 ppm	< 2 ppm	
Selenium (Se)	2 ppm	< 2 ppm	
Antimony (Sb)	2 ppm	< 2 ppm	
Tin (Sn)	50 ppm	< 50 ppm	
Zinc (Zn)	50 ppm	< 50 ppm	

▶ 17/19

[Address] Krackser Straße 12
33659 Bielefeld, GERMANY
[Managing Director] Dr. rer. nat. Gerald Prior
[Based in] Bielefeld
[Register of Companies] AG Bielefeld, HRB 35-412
[VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0
[fax] +49 521 446 51 52
[mail] info@ctl-bielefeld.de
[Homepages] ctl-bielefeld.de
ctl-tattoo.net

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, GERMANY
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE 87 47850065 000 4005345